

castworks
home heating specialists

STOVAX
Fire Your Imagination



RIVA | STUDIO

RIVA | STUDIO SIZE OPTIONS 1,2 & 3

Riva Studio In-built is available in 3 sizes each with a variety of frame options. From glass to steel, there will be a frame to suit your own personal taste and style. Alternatively the Studio can be fitted with an Edge kit for a more minimalist appearance. The Riva Freestanding Stove is available in 3 sizes with a variety of bench sizes to choose from (see our website www.castworks.com.au for details).

	Studio 1	Studio 2	Studio 3
Heat Outputs	12kW	15kW	18kW
Room Heat Capacity	168m²	210m²	252m²
Particulate Emissions	2.2g/kg	2.2g/kg	2.0g/kg

Key features for all Studio sizes:

- Up to 64% efficient
- Removable steel and TCL baffles
- TCL firebox lining
- Radiant heat and convected heat
- Optional fan-assisted convection system (in-built only)
- Top flue connection (internal Ø): 152mm (6")

RIVA | STUDIO 1



Top: Riva Studio 1 Profil Bottom: Riva Studio 2 Bauhaus in Jet Black Metallic

RIVA | STUDIO 2



IN-BUILT & FREESTANDING

Riva Studio In-Built Options:

- Studio 1 Fan-assisted convection kit (240v)
- Studio 2/3 Fan-assisted convection kit (240v)
- Zero clearance box
- External ducting kit

Riva Studio Freestanding Options:

- Heatshield
- Black glass top plate
- Decorative Square Section Flue Cover: 215 x 1800 x 212mm (w x h x d) *
- Riva Bench 100 low Riva Bench 100 high
- Riva Bench 120 low Riva Bench 120 high
- Riva Bench 140 low Riva Bench 140 high
- Riva Bench 180 low Riva Bench 180 high

* Non combustible walls only

RIVA | STUDIO 3



Top: Riva Studio 3 Frameless Edge Bottom: Riva Studio 3 Freestanding on Riva Bench 180 High with Black Glass Top Plate

RIVA | STUDIO FREESTANDING





Riva Studio 2 with Glass Frame

RIVA | STUDIO INBUILT

The Riva Studio Inbuilt features ultra contemporary styling that fits in perfectly with all modern interiors. This fire is available in all sizes and with a stunning range of frame options as shown on page 6.

Fire dimensions	(w x h x d) mm
Studio 1	745 x 415 x 350
Studio 2	950 x 440 x 350
Studio 3	1332 x 450 x 393

- Additional options:
- Studio 1 Fan-assisted convection kit (240v)
 - Studio 2/3 Fan-assisted convection kit (240v)
 - Zero clearance box
 - External ducting kit



Riva Studio 3 Profil in Jet Black Metallic

RIVA | STUDIO FRAME OPTIONS



Riva Studio Edge



Riva Studio Profil



Riva Studio Verve (horizontal curve) (aerial view below)



Riva Studio Bauhaus - Polished Stainless Steel



Riva Studio Steel XS



Riva Studio Glass



Riva Studio Bauhaus - Jet Black Metallic



Riva Studio Edge +



Riva Studio Steel

FIRE AND FRAME | INFORMATION

FRAME INFORMATION

Riva Studio 1 In-Built

Description	Width (mm)	Height (mm)	Depth (mm)
Profil	839	517	33
Steel	1203	567	3
Glass	1209	573	8
Verve	1203	567	48
Bauhaus - Jet Black Metallic	850	526	49
Bauhaus - Polished Stainless Steel	850	526	49
Edge Kit	740	418	34
Edge+ Kit	785	463	34

Riva Studio 2 In-Built

Description	Width (mm)	Height (mm)	Depth (mm)
Profil	1039	542	33
Steel	1439	622	3
Steel XS	1111	622	3
Glass	1445	628	8
Verve	1440	622	59
Bauhaus - Jet Black Metallic	1050	554	49
Bauhaus - Polished Stainless Steel	1050	554	49
Edge Kit	940	443	34
Edge+ Kit	983	488	34

Riva Studio 3 In-Built

Description	Width (mm)	Height (mm)	Depth (mm)
Profil	1426	547	45
Steel	1926	647	3
Glass	1932	653	8
Verve	1927	674	83
Bauhaus - Jet Black Metallic	1437	559	49
Bauhaus - Polished Stainless Steel	1437	559	49
Edge Kit	1327	448	44.5
Edge+ Kit	1372	493	34

The above information is to assist you in your choice of a suitable Riva Studio fire. It is not intended to be all the information required to install your fire. This can be obtained from your retailer or you can download the full installation instructions from the Stovax website at www.stovax.com



Riva Studio 2 Frameless Edge



Riva Studio 3 Freestanding on Riva 180 High Bench with Black Glass Top Plate

RIVA | STUDIO FREESTANDING

This Freestanding version of the Riva Studio offers you up to 18kW of heating capacity as well as superb views of the flames. Featuring exactly the same firebox attributes as other Riva Studios, the Freestanding version may be mounted on a hearth or installed onto your choice of four optional Riva Benches (see our website www.castworks.com.au for details).

You can also specify the optional black glass top plate to create your own bespoke look.

Fire dimensions	(w x h x d) mm
Studio 1	800 x 479 x 380
Studio 2	1000 x 504 x 380
Studio 3	1389 x 516 x 445

- Additional options:
- Black glass top plate
 - Decorative square flue section flue cover*
 - Heat Shield Kit
 - Riva Bench

* Non combustible walls only




Studio 2 Freestanding on 140 Low Bench with gloss black enamelled flue pipe





TECHNICAL | INFORMATION

An appropriately qualified and approved installer should undertake a site survey prior to purchase and must install your Riva Studio for you. Your Stovax retailer will be able to offer advice on this. You may also view or download complete installation instructions from our website www.castworks.com.au. The diagrams on these pages cover some of the basic requirements and are for initial information purposes only.



Zero Clearance Box Dimensions (In-built only)



DIMENSIONS

	Studio 1	Studio 2	Studio 3	Studio 1 FS	Studio 2 FS	Studio 3 FS
A	745mm	950mm	1332mm	800mm	1000mm	1389mm
B	415mm	440mm	450mm	479mm	504mm	516mm
C	350mm	350mm	393mm	380mm	380mm	445mm
D	821mm	1019mm	1406mm	-	-	-
E	497mm	522mm	532mm	-	-	-
F	246mm	246mm	291mm	260mm	260mm	325mm
G	480mm	610mm	610mm/1010mm	-	-	-
H Ø	153mm	153mm	153mm	153mm	153mm	153mm
K	240mm	240mm	275mm	-	-	-
L	820mm	1020mm	1407mm	-	-	-
M	679mm	702mm	713mm	-	-	-
N	378mm	378mm	423mm	-	-	-
Flame Viewing Area (w x h)	590 x 263mm	790 x 289mm	1177 x 286mm	590 x 263mm	790 x 289mm	1177 x 286mm
Weight	92Kg	112Kg	175Kg	100Kg	120Kg	185Kg
Flue Connection	152mm (6")	152mm (6")	152mm (6")	152mm (6")	152mm (6")	152mm (6")
Rear Clearance with Heat Shield				150mm	150mm	150mm
Rear Clearance without Heat Shield				350mm	360mm	400mm
Side Clearance*				400mm	425mm	500mm

* Side Clearances may increase upon installation of rear heat shield (please refer to installation manual)
Hearth requirements can vary between models and installation, please refer to installation guidelines.

Warranty & Safety Details

When you choose a Stovax Riva Studio™ in-built or freestanding fire, quality and technology are assured. Accordingly, your Stovax retailer will provide you with a Five Year Extended Warranty for your new Riva Studio™ in-built or freestanding fire, provided it is registered with Stovax. Please note, this warranty excludes certain consumable parts. Stoves purchased outside of Stovax's Expert Retailer Network will carry a conditional 2 year warranty. Full warranty terms & conditions are available to view at www.stovax.com



Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase. All fire and flame photography has been taken from genuine products, however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features and the way in which the appliance is operated.

Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.



Australian Riva Studio models have been tested in accordance with AS/NZS 4012:1999 and AS/NZS 4013:1999 and listed by the AHHA.


Key Design Features



Stovax Riva Studio fires feature the very latest cleanburn combustion systems, allowing them to burn logs with outstanding efficiency, resulting in more heat delivered into the room and less going up the chimney. This technological advancement is achieved by introducing preheated, secondary air into the firebox to burn the excess hydrocarbons in the smoke. Airwash air flow also helps keep the window clean, allowing you to enjoy the flames to the full. The Riva Studio offers you full control of flame aesthetics. From a lazy roll to a lively roar, you can adjust your fire to suit your mood. The doors on the Studio 1 and 2 are left hinged whilst the larger Studio 3 door opens downwards, minimising the risk of ash falling beyond the hearth and into the room.

Riva Studio design features

1. TCL (Technical Combustion Lining) High density thermal liner system
2. Heated air jets from cleanburn ports burn hydrocarbons in smoke
3. Airwash air flow
4. Removable handle (Studio 1, 2 & 3) and door opening catch (Studio 1 & 2 only)
5. Convected and radiant heat
6. Easy fit flue connection
7. Removable baffles
8. Optional fan kit (in-builts only)





Riva Studio 2 Steel XS

castworks
home heating specialists

DISTRIBUTORS
FOR

STOVAX
Fire Your Imagination

57 Industrial Drive, Braeside, Victoria 3195

Tel: 03 9588 1169 Fax: 03 9588 2670 Email: info@castworks.com.au

Web: www.castworks.com.au • www.stovax.com



© All material copyright Castworks 2015